



IMPASTATRICI A SPIRALE TESTA FISSA

SPIRAL DOUGH MIXER KNEADER

- Apparecchi per uso professionale
- Ideale per lavorare impasti per pizzerie, pasticcerie, panetterie
- Robusta struttura in acciaio
- Motoriduttore di grande potenza di produzione italiana
- Trasmissione a catena
- Alberi di trasmissione di grosso spessore in acciaio
- Pulegge e corone di produzione nazionale
- Micro meccanico al coperchio
- Vasca, spirale e asta in acciaio inox
- Ruote con freno di serie
- Facile da pulire
- Comandi a 24 volt
- Norme CE
- Fabbricato in Italia

- Professional equipment
- Ideal equipment for working doughs for pizzerias, pastries, bakeries
- Outlets find it invaluable
- Stainless steel and enameled bodywork
- Powerful and durable Italian make motor reducer
- Heavy duty durable chain transmission dough kneader
- Stiffened Steel Transmission shaft
- Italian make pulley and ring
- Safety micro switch on the lid
- Stainless steel bowl, tank and shaft
- Wheels with brake included easy to clean
- 24volt control panel ensures safety during operation, and gives the operator maximum security
- CE approved
- Proudly Made in Italy

GUARDA IL VIDEO
WATCH THE VIDEO



7 KG

Alimentazione <i>Power supply (Volt/Hz)</i>	230/50
Potenza <i>Motor power (Kwatt/Hp)</i>	0,37 (0,50)
Volume vasca <i>Tank diameter (lt)</i>	7,0
Dimensione vasca <i>Bowl dimensions (mm)</i>	ø240x160
Capacità d'impasto <i>Dough output (kg)</i>	6,0
Capacità farina <i>Flour capacity (kg)</i>	3,5
Peso netto monofase <i>Net weight single phase (kg)</i>	40,0
Peso lordo monofase <i>Gross weight single phase (kg)</i>	43,0
Dimensione imballo <i>Packing dimensions (mm)</i>	B. 410 D. 550 H. 740



DIMENSIONE
PRODOTTO


B. 290 mm
D. 600 mm
H. 610 mm

* altezza ruote
wheel size
8,5 cm



18 KG

Alimentazione <i>Power supply (Volt/Hz)</i>	230/50 - 230-400/50
Potenza <i>Motor power (Kwatt/Hp)</i>	0,75 (1,00)
Volume vasca <i>Tank diameter (lt)</i>	21,0
Dimensione vasca <i>Bowl dimensions (mm)</i>	ø360x210
Capacità d'impasto <i>Dough output (kg)</i>	18,0
Capacità farina <i>Flour capacity (kg)</i>	9,0
Peso netto mono/tri fase <i>Net weight single/three phase (kg)</i>	59,0/59,0
Peso lordo mono/tri fase <i>Gross weight single/three phase (kg)</i>	62,0/62,0
Dimensione imballo <i>Packing dimensions (mm)</i>	B. 440 D. 690 H. 925



DIMENSIONE
PRODOTTO

B. 400 mm
D. 630 mm
H. 700 mm

* altezza ruote
wheel size
8,5 cm

25 KG

Alimentazione <i>Power supply (Volt/Hz)</i>	230/50 - 230-400/50
Potenza <i>Motor power (Kwatt/Hp)</i>	1,10 (1,50)
Volume vasca <i>Tank diameter (lt)</i>	32,0
Dimensione vasca <i>Bowl dimensions (mm)</i>	ø400x260
Capacità d'impasto <i>Dough output (kg)</i>	25,0
Capacità farina <i>Flour capacity (kg)</i>	12,5
Peso netto mono/tri fase <i>Net weight single/three phase (kg)</i>	90,0/90,0
Peso lordo mono/tri fase <i>Gross weight single/three phase (kg)</i>	94,0/94,0
Dimensione imballo <i>Packing dimensions (mm)</i>	B. 500 D. 800 H. 950




DIMENSIONE
PRODOTTO

B. 440 mm
D. 680 mm
H. 780 mm

* altezza ruote
wheel size
8,5 cm

38 KG

Alimentazione <i>Power supply (Volt/Hz)</i>	230/50 - 230-400/50
Potenza <i>Motor power (Kwatt/Hp)</i>	1,50 (2,00)
Volume vasca <i>Tank diameter (lt)</i>	41,0
Dimensione vasca <i>Bowl dimensions (mm)</i>	ø450x260
Capacità d'impasto <i>Dough output (kg)</i>	38,0
Capacità farina <i>Flour capacity (kg)</i>	19,0
Peso netto mono/tri fase <i>Net weight single/three phase (kg)</i>	104,0/104,0
Peso lordo mono/tri fase <i>Gross weight single/three phase (kg)</i>	108,0/108,0
Dimensione imballo <i>Packing dimensions (mm)</i>	B. 535 D. 840 H. 990




DIMENSIONE
PRODOTTO

B. 495 mm
D. 800 mm
H. 798 mm

* altezza ruote
wheel size
8,5 cm

44 KG

Alimentazione <i>Power supply (Volt/Hz)</i>	230/50 - 230-400/50
Potenza <i>Motor power (Kwatt/Hp)</i>	1,50 (2,00)
Volume vasca <i>Tank diameter (lt)</i>	48,0
Dimensione vasca <i>Bowl dimensions (mm)</i>	ø450x300
Capacità d'impasto <i>Dough output (kg)</i>	44,0
Capacità farina <i>Flour capacity (kg)</i>	22,0
Peso netto mono/tri fase <i>Net weight single/three phase (kg)</i>	109,0/109,0
Peso lordo mono/tri fase <i>Gross weight single/three phase (kg)</i>	113,0/113,0
Dimensione imballo <i>Packing dimensions (mm)</i>	B. 535 D. 840 H. 990



DIMENSIONE
PRODOTTO

B. 495 mm
D. 800 mm
H. 798 mm

* altezza ruote
wheel size
8,5 cm